THE ASTROPHYSICAL JOURNAL

CONTENTS OF VOLUME 379, PART 1

1991 SEPTEMBER 20, Number 1


| | Page | Fiche |
|---|---|---|
| CONSTRAINTS ON THE THERMAL HISTORY OF THE UNIVERSE FROM THE COSMIC MICROWAVE BACKGROUND SPECTRUM<br>*C. Burigana, G. De Zotti & L. Danese* | 1 | 163-B1 |
| COSMOLOGICAL VELOCITY-DENSITY RELATION IN THE QUASI-LINEAR REGIME<br>*Adi Nusser, Avishai Dekel, Edmund Bertschinger, & George R. Blumenthal* | 6 | 163-B7 |
| SUPERCLUSTERING AT HIGH REDSHIFTS<br>*Michael J. West* | 19 | 163-C7 |
| CONSTRAINTS ON MODELS FOR THE HIGH- AND LOW-ENERGY X-RAY BACKGROUNDS<br>*R. A. Daly* | 37 | 163-E1 |
| GALAXY FORMATION THROUGH HIERARCHICAL CLUSTERING<br>*Simon D. M. White & Carlos S. Frenk* | 52 | 163-F3 |
| DETECTION OF EXCESS ROTATION MEASURE DUE TO INTRACLUSTER MAGNETIC FIELDS IN CLUSTERS OF GALAXIES<br>*K.-T. Kim, Peter C. Tribble, & P. P. Kronberg* | 80 | 164-A5 |
| THE DARK MATTER CONTENT OF SPIRAL GALAXIES<br>*Paolo Salucci, Keith M. Ashman, & Massimo Persic* | 89 | 164-B1 |
| THE MAGNIFICATION OF STARS CROSSING A CAUSTIC. I. LENSES WITH SMOOTH POTENTIALS<br>*Jordi Miralda-Escudé* | 94 | 164-B7 |
| THE CARBON ABUNDANCE OF THE LYMAN-ALPHA CLOUDS<br>*Limin Lu* | 99 | 164-C1 |
| THE VISUAL WAVELENGTH CONTINUA OF QUASARS: A REEXAMINATION<br>*W. A. Stein* | 107 | 164-C11 |
| MASSIVE STAR FORMATION AND SUPERWINDS IN IRAS 19254 – 7245 (THE "SUPERANTENNAE")<br>*Luis Colina, Sebastian Lípari, & F. Macchetto* | 113 | 164-D5 |
| X-RAY IRRADIATION OF INTERSTELLAR GRAINS IN ACTIVE GALAXIES: EVAPORATION AND INFRARED SPECTRA<br>*G. Mark Voit* | 122 | 164-E1 |
| HEAVY, OVERPRESSURED JETS AND THE RADIO SOURCE HERCULES A<br>*David L. Meier, Alberto C. Sadun, & Kevin R. Lind* | 141 | 164-F9 |
| EXTRAGALATIC GLOBULAR CLUSTERS. III. METALLICITY COMPARISONS AND ANOMALIES<br>*Jean P. Brodie & John P. Huchra* | 157 | 165-A1 |
| A GRAIN-HEATED, DUSTY PLANETARY NEBULA IN M22<br>*Kazimierz J. Borkowski & J. Patrick Harrington* | 168 | 165-B1 |
| MOLECULAR GAS IN ELLIPTICAL GALAXIES<br>*Joanna F. Lees, G. R. Knapp, Michael P. Rupen, & T. G. Phillips* | 177 | 165-B11 |
| LITHIUM IN HALO STARS: CONSTRAINING THE EFFECTS OF HELIUM DIFFUSION ON GLOBULAR CLUSTER AGES AND COSMOLOGY<br>*Constantine P. Deliyannis & Pierre Demarque* | 216 | 165-F7 |
| THE LkHα 101 INFRARED CLUSTER<br>*M. Barsony, J. M. Schombert, & K. Kis-Halas* | 221 | 165-G1 |

# CONTENTS


| | Page | Fiche |
|---|---|---|
| RADIATION TRANSPORT IN DUST IN DISK GEOMETRY. I. APPLICATION TO EXTERNALLY HEATED INTERSTELLAR CLOUDS<br>*George F. Spagna, Jr., Chun Ming Leung, & Michael P. Egan* | 232 | 166-A5 |
| THE ANALYSIS OF APPARENT OPTICAL DEPTH PROFILES FOR INTERSTELLAR ABSORPTION LINES<br>*Blair D. Savage & Kenneth R. Sembach* | 245 | 166-B5 |
| SiS IN OUTFLOW REGIONS: MORE HIGH-TEMPERATURE SILICON CHEMISTRY<br>*L. M. Ziurys* | 260 | 166-C7 |
| THE INTERSTELLAR $^{12}CN/^{13}CN$ RATIO TOWARD $\zeta$ PERSEI<br>*Mary Elizabeth Kaiser, Isabel Hawkins, & Edward L. Wright* | 267 | 166-D1 |
| THE MOLECULAR ENVELOPE OF NGC 7027<br>*John H. Bieging, David Wilner, & Harley A. Thronson, Jr.* | 271 | 166-D9 |
| BINARIES IN A MEDIUM OF FAST LOW-MASS OBJECTS<br>*Andrew Gould* | 280 | 166-E1 |
| ON THE ADIABATIC PULSATIONS OF ACCRETION DISKS AND ROTATING STARS<br>*James R. Ipser & Lee Lindblom* | 285 | 166-E7 |
| VERY HIGH ENERGY GAMMA-RAY EMISSION FROM ACCRETING X-RAY PULSARS<br>*K. S. Cheng, K. N. Yu, T. Cheung, & M. M. Lau* | 290 | 166-F1 |
| SEARCHES FOR MILLISECOND PULSATIONS IN LOW-MASS X-RAY BINARIES<br>*K. S. Wood, J. P. Norris, P. Hertz, B. A. Vaughan, P. F. Michelson, K. Mitsuda, W. H. G. Lewin, J. van Paradijs, W. Penninx, & M. van der Klis* | 295 | 166-F9 |
| X-RAY-ILLUMINATED STELLAR WINDS: OPTICALLY THICK WIND MODELS FOR MASSIVE X-RAY BINARIES<br>*Ian R. Stevens* | 310 | 167-A1 |
| LMC-2 AS THE BLOWOUT OF A HOT SUPERBUBBLE<br>*Qingde Wang & David J. Helfand* | 327 | 167-B5 |
| THE ULTRAVIOLET LIGHT CURVES OF W URSAE MAJORIS<br>*Albert P. Linnell* | 338 | 167-C3 |
| DYNAMO MAGNETIC FIELD MODES IN THIN ASTROPHYSICAL DISKS: AN ADIABATIC COMPUTATIONAL APPROXIMATION<br>*T. F. Stepinski & E. H. Levy* | 343 | 167-C9 |
| DIELECTRONIC RECOMBINATION RATE COEFFICIENTS FOR $S^{q+}$ ($q$ = 1–5) IONS<br>*N. R. Badnell* | 356 | 167-D9 |
| CAN NEUTRON STARS ABLATE THEIR COMPANIONS?<br>*Amir Levinson & D[illegible]id Eichler* | 359 | 167-E1 |
| LARGE-SCALE FEATURES OF THE SUN AT 20 CENTIMETER WAVELENGTH<br>*N. Gopalswamy, S. M. White, & M. R. Kundu* | 366 | 167-E9 |
| CENTER-TO-LIMB VARIATIONS OF CHARACTERISTICS OF SOLAR FLARE HARD X-RAY AND GAMMA-RAY EMISSION<br>*James M. McTiernan & Vahé Petrosian* | 381 | 167-F11 |
| JOULE HEATING AS AN EXPLANATION FOR THE DIFFERENTIAL EMISSION MEASURE STRUCTURE AND SYSTEMATIC REDSHIFTS IN THE SUN'S LOWER TRANSITION REGION<br>*George Roumeliotis* | 392 | 167-G9 |
| THE IRON-TO-CALCIUM ABUNDANCE RATIO IN THE 20 × $10^6$ K PLASMA OF MEDIUM AND LARGE SOLAR FLARES<br>*K. J. H. Phillips & U. Feldman* | 401 | 168-A5 |
| THE $3s^23p\ ^2P$–$3s3p^2\ ^4P$ INTERCOMBINATION LINES OF Fe XIV IN THE SUN<br>*F. P. Keenan, P. L. Dufton, E. S. Conlon, M. B. Boylan, A. E. Kingston, & K. G. Widing* | 406 | 168-A11 |
| AN ANALYTICAL FORMULATION OF THE DOUBLE-PULSE $s$-PROCESS MODEL<br>*Hermann Beer* | 409 | 168-B1 |
| A MEASUREMENT OF THE $^{22}Ne(n, \gamma)^{23}Ne$ CAPTURE CROSS SECTION AT A STELLAR TEMPERATURE OF $kT$ = 25 keV<br>*Hermann Beer, G. Rupp, F. Voss, & F. Käppeler* | 420 | 168-C1 |
| ABSTRACTS OF THE ASTROPHYSICAL JOURNAL SUPPLEMENT SERIES, 1991 OCTOBER | | |
| A Catalog of Absorption in the Spectra of Quasi-stellar Objects<br>*V. Junkkarinen, A. Hewitt, & G. Burbidge* | 424 | 168-C7 |

## CONTENTS


| | Page | Fiche |
|---|---|---|
| MOLECULAR LINE SURVEY OF SAGITTARIUS B2(M) FROM 330 TO 355 GHz AND COMPARISON WITH SAGITTARIUS B2(N)<br>*E. C. Sutton, P. A. Jaminet, W. C. Danchi, & Geoffrey A. Blake* | 424 | 168-C7 |
| INTERSTELLAR PHOTODISSOCIATION AND PHOTOIONIZATION RATES<br>*W. G. Roberge, D. Jones, S. Lepp, & A. Dalgarno* | 425 | 168-C8 |
| EVOLUTIONARY SEQUENCES OF STELLAR MODELS OF INTERMEDIATE AND HIGH MASS INCLUDING CONVECTIVE CORE OVERSHOOTING<br>*Chao-wen Chin & Richard B. Stothers* | 425 | 168-C8 |
| *UBVRI* PHOTOMETRY OF STARS IN THE FIELDS OF X-RAY SELECTED BL LACERTAE OBJECTS<br>*Paul S. Smith, Buell T. Jannuzi, & Richard Elston* | 425 | 168-C8 |
| APPLICATION OF THE CONTINUOUS ORTHONORMALIZATION AND ADJOINT METHODS TO THE COMPUTATION OF SOLAR EIGENFREQUENCIES AND EIGENFREQUENCY SENSITIVITIES<br>*R. D. Rosenwald & G. F. Rabaey* | 426 | 168-C9 |
| A TABLE OF ASTRONOMICALLY IMPORTANT ROVIBRATIONAL TRANSITIONS FOR THE $H_3^+$ MOLECULAR ION<br>*Lancelot Kao, Takeshi Oka, Steven Miller, & Jonathan Tennyson* | 426 | 168-C9 |


## 1991 OCTOBER 1, Number 2


| | | |
|---|---|---|
| BARYON ISOCURVATURE SCENARIO IN INFLATIONARY COSMOLOGY: A PARTICLE PHYSICS MODEL AND ITS ASTROPHYSICAL IMPLICATIONS<br>*Jun'ichi Yokoyama & Yasushi Suto* | 427 | 170-B1 |
| EXCURSION SET MASS FUNCTIONS FOR HIERARCHICAL GAUSSIAN FLUCTUATIONS<br>*J. R. Bond, S. Cole, G. Efstathiou, & N. Kaiser* | 440 | 170-C1 |
| COLLAPSE OF POPULATION III OBJECTS INDUCED BY COLD COLLISIONLESS DARK MATTER<br>*J. C. N. de Araujo & R. Opher* | 461 | 170-D10 |
| A MEASUREMENT OF THE VALUE OF THE HUBBLE CONSTANT FROM THE X-RAY PROPERTIES AND THE SUNYAEV-ZEL'DOVICH EFFECT OF ABELL 665<br>*M. Birkinshaw, J. P. Hughes, & K. A. Arnaud* | 466 | 170-E1 |
| POWER-SPECTRUM ANALYSIS OF ONE-DIMENSIONAL REDSHIFT SURVEYS<br>*N. Kaiser & J. A. Peacock* | 482 | 170-F5 |
| SMALL-SCALE FLUCTUATIONS AND ANGULAR CORRELATIONS OF THE X-RAY BACKGROUND IN THE *HEAO 1* A-2 ENERGY BAND: CONSTRAINTS ON CLUSTERING OF X-RAY SOURCES<br>*J. M. Martín-Mirones, G. De Zotti, E. A. Boldt, F. E. Marshall, L. Danese, A. Franceschini, & M. Persic* | 507 | 171-A4 |
| SELECTION EFFECTS IN OPTICAL SURVEYS FOR GRAVITATIONAL LENSES<br>*Christopher S. Kochanek* | 517 | 171-B1 |
| VACUUM ULTRAVIOLET IMAGERY OF THE VIRGO CLUSTER REGION. III. DIFFUSE FAR-ULTRAVIOLET RADIATION AT HIGH GALACTIC LATITUDES<br>*Takashi Onaka & Keiichi Kodaira* | 532 | 171-C5 |
| SPECTROSCOPIC LIMITS TO AN EXTRAGALACTIC FAR-ULTRAVIOLET BACKGROUND<br>*Christopher Martin, Mark Hurwitz, & Stuart Bowyer* | 549 | 171-D10 |
| THE INTENSITY AND SPECTRUM OF THE DIFFUSE X-RAY BACKGROUND<br>*X. Wu, T. Hamilton, D. J. Helfand, & Q. Wang* | 564 | 171-F1 |
| FAINT X-RAY SOURCE COUNTS AND THE ORIGIN OF THE X-RAY BACKGROUND<br>*T. T. Hamilton, D. J. Helfand, & X. Wu* | 576 | 171-G1 |
| ECHO IMAGES OF BROAD-LINE REGIONS IN ACTIVE GALACTIC NUCLEI<br>*William F. Welsh & Keith Horne* | 586 | 172-A1 |
| MODELING AN ACCRETION DISK IN NGC 985<br>*R. M. Stanga, J. M. Rodríguez Espinosa, & F. Mannucci* | 592 | 172-A9 |
| *IUE* OBSERVATIONS OF NGC 1068: THE EXTREMELY LUMINOUS STARBURST KNOTS<br>*F. C. Bruhweiler, K. Q. Truong, & B. Altner* | 596 | 172-B1 |
| *IUE* OBSERVATIONS OF NGC 1068: THE EXTENDED HIGH-IONIZATION EMISSION REGION<br>*K. Q. Truong & F. C. Bruhweiler* | 609 | 172-C1 |
| A COSMOS STUDY OF THE STRUCTURE AND CONTENT OF NGC 6822<br>*Paul Hodge, Toby Smith, Paul Eskridge, Harvey MacGillivray, & Steven Beard* | 621 | 172-D1 |

# CONTENTS


| | Page | Fiche |
|---|---|---|
| DIRECT EVIDENCE FOR A BAR AT THE GALACTIC CENTER<br>*Leo Blitz & David N. Spergel* | 631 | 172-E1 |
| STAR COUNTS AND CARBON MONOXIDE OBSERVATIONS OF MADDALENA'S CLOUD<br>*Youngung Lee, Ronald L. Snell, & Robert L. Dickman* | 639 | 172-E11 |
| STICKING PROBABILITY OF H AND D ATOMS ON AMORPHOUS ICE: A COMPUTATIONAL STUDY<br>*V. Buch & Q. Zhang* | 647 | 172-F7 |
| A MODEL OF UNPULSED VERY HIGH ENERGY GAMMA RAYS FROM THE CRAB NEBULA AND PULSAR<br>*P. W. Kwok, K. S. Cheng, & M. M. Lau* | 653 | 172-G1 |
| THE CIRCUMSTELLAR SHELL OF SN 1987A<br>*Ding Luo & Richard McCray* | 659 | 172-G9 |
| STELLAR OCCULATION OF POLARIZED LIGHT FROM CIRCUMSTELLAR ELECTRONS. III. GENERAL AXISYMMETRIC ENVELOPES<br>*Geoffrey K. Fox* | 663 | 173-A1 |
| MODELS FOR LIGHT SCATTERING BY DUST AROUND HERBIG-HARO OBJECTS<br>*Alberto Noriega-Crespo, Nuria Calvet, & Karl-Heinz Böhm* | 676 | 173-B1 |
| A RICH CLUSTER OF RADIO STARS IN THE ρ OPHIUCHI CLOUD CORES<br>*James A. Leous, Eric D. Feigelson, Philippe André, & Thierry Montmerle* | 683 | 173-B10 |
| THE COLLIMATION OF A TIME-DEPENDENT STELLAR WIND<br>*S.-H. Kim & A. C. Raga* | 689 | 173-C4 |
| MAGNETICALLY DRIVEN JETS AND WINDS<br>*R. V. E. Lovelace, H. L. Berk, & J. Contopoulos* | 696 | 173-D1 |
| WIND COLLISION EFFECTS IN THE EARLY-TYPE CLOSE BINARIES HD 47129 AND AO CASSIOPEIAE<br>*Jorge Sahade & Estela Brandi* | 706 | 173-E1 |
| THE ECLIPSING AM HERCULIS VARIABLE H1907 + 690<br>*R. A. Remillard, B. A. Stroozas, S. Tapia, & A. Silber* | 715 | 173-E13 |
| DOES SV CENTAURI HARBOR AN ACCRETION DISK?<br>*Albert P. Linnell & Xania Scheick* | 721 | 173-F7 |
| ON THE SODIUM EXCESS IN THE ATMOSPHERES OF YELLOW SUPERGIANTS<br>*N. Prantzos, A. Coc, & J. P. Thibaud* | 729 | 173-G1 |
| OBSERVATIONS OF SOLAR WIND ION CHARGE EXCHANGE IN THE COMET HALLEY COMA<br>*S. A. Fuselier, E. G. Shelley, B. E. Goldstein, R. Goldstein, M. Neugebauer, W.-H. Ip, H. Balsiger, & H. Rème* | 734 | 173-G8 |
| SOLAR GAMMA-RAY-LINE FLARES, TYPE II RADIO BURSTS, AND CORONAL MASS EJECTIONS<br>*E. W. Cliver, H. V. Cane, D. J. Forrest, M. J. Koomen, R. A. Howard, & C. S. Wright* | 741 | 174-A2 |
| MULTICOLOR CONTINUUM ANALYSIS OF THE SOLAR GRANULATION IN QUIET AND ACTIVE REGIONS<br>*C. U. Keller & S. Koutchmy* | 751 | 174-B1 |
| MULTIPLE SCATTERING OF ACOUSTIC WAVES BY A PAIR OF UNIFORMLY MAGNETIZED FLUX TUBES<br>*Thomas J. Bogdan & David C. Fox* | 758 | 174-B10 |
| CHROMOSPHERIC AND TRANSITION REGION DIAGNOSTICS USING EMISSION-LINE INTENSITIES<br>*R. Grant Athay & K. P. Dere* | 776 | 174-D1 |
| ON SOLAR EMISSION LINES<br>*G. P. Malik, L. K. Pande, & Vijaya S. Varma* | 788 | 174-E1 |
| INSTRUCTIONS TO AUTHORS | i | 174-F1 |